




# BE TS

## FLAT RUBBER BELTS (FR)

USE PRB SYSTEM

The "FR" (Flat Rubber) belts have been grouped by inside circumference to make it easier for you to choose the best replacement belt.

1. First determine your needed IC (Inside Circumference).
2. Locate the group your IC fits into.
3. Choose the belt that is closest to the needed C/S (Cross Section) and Wall.



End "Wow & Flutter" in sensitive audio equipment!

PRB has incorporated Precision Molded Belts into their Flat Rubber belt line.

Now, all flat belts with a wall of less than .030 are precision molded.

P/N	IC	C/S	WALL	P/N	IC	C/S	WALL	P/N	IC	C/S	WALL
<b>2.0 - 2.9</b>				FR8.8	8.7	.187	.060	FRX11.5*	11.5	.156	.031
FR2.0	2.0	.250	.032	FRW8.8	8.8	.185	.023	FRM11.5	11.5	.210	.031
FR2.2	2.2	.250	.062	FR8.9	8.8	.340	.101	FRY11.5	11.5	.235	.040
FR2.7	2.7	.187	.040	FR9.0	8.9	.230	.041	FR11.5	11.5	.395	.040
FRY2.9	2.9	.100	.031	FRX8.9	8.9	.297	.034	FR11.6	11.5	.310	.040
FRX2.9	2.9	.140	.031	<b>9.0 - 9.9</b>				FR11.8	11.6	.192	.024
FR2.9	2.9	.250	.031	FRY9.0	9.0	.075	.031	FR11.9	11.6	.318	.024
<b>3.0 - 3.9</b>				FRW9.0	9.0	.100	.025	FRZ11.7	11.7	.065	.031
FR3.6	3.6	.195	.032	FRX9.0	9.0	.124	.031	FRX11.7	11.7	.150	.031
FR3.7	3.7	.100	.034	FRM9.0	9.0	.210	.031	FRM11.7	11.7	.210	.031
FR3.9	3.9	.060	.033	FRZ9.1	Sub with FRW9.0			<b>12.0 - 12.9</b>			
<b>4.0 - 4.9</b>				FRW9.1	9.1	.155	.020	FRW12.0	12.0	.245	.023
FR4.2	4.2	.060	.033	FRY9.1	Sub with FRW9.1			FR12.0	12.0	.245	.073
FRX4.3	4.3	.156	.046	FRZ9.2	9.2	.078	.031	FRY12.0	12.0	.250	.045
FR4.6	4.5	.210	.035	FRX9.2	9.2	.140	.031	FRX12.1*	12.1	.118	.031
FRX4.7	4.7	.105	.035	FRW9.2	9.2	.160	.020	FRZ12.1	12.1	.167	.031
<b>5.0 - 5.9</b>				FRM9.2	9.2	.210	.031	FRY12.1	12.1	.180	.031
FRX5.1	5.1	.090	.031	FRX9.2	9.2	.140	.031	FRM12.1	12.1	.210	.031
FR5.1	5.1	.281	.031	FRW9.2	9.2	.160	.020	FRX12.5	12.5	.227	.056
FRY5.7	5.7	.075	.020	FRM9.2	9.2	.210	.031	FR12.5	12.5	.283	.056
FRX5.7	5.7	.150	.031	FRX9.5	9.4	.100	.034	FRW12.6	12.6	.300	.023
FR5.7	5.7	.150	.070	FRX9.4*	9.4	.140	.034	FRX12.6*	12.6	.322	.032
FRZ5.7*	5.8	.120	.031	FR9.4	9.4	.235	.034	FR12.6	12.6	.342	.112
<b>6.0 - 6.9</b>				FRX9.6	Sub with FRM9.6			FRX12.7	12.7	.160	.031
FR5.9	6.0	.123	.046	FRM9.6	9.6	.139	.035	FRM12.7	12.7	.210	.031
FRW6.1	6.1	.100	.023	FRW9.6	9.6	.200	.020	FRZ12.7	12.7	.235	.030
FRM6.1	6.1	.165	.035	FRX9.7	9.7	.120	.031	<b>13.0 - 13.9</b>			
FRW6.5	6.5	.150	.020	FRM9.7	9.7	.187	.031	FRX13.1	13.1	.140	.031
FR6.4	6.5	.281	.031	FRX9.5	9.4	.100	.034	FRY13.1	Sub with FRX13.1		
FRX6.6	6.7	.115	.061	FR9.5	9.7	.195	.085	FRZ13.2	13.2	.235	.031
FRY6.7	6.7	.140	.035	FRW9.7	9.7	.237	.023	FRM13.3	13.3	.205	.031
FRX6.7	6.7	.206	.035	FRY9.7	Sub with FRW9.7			FRY13.4	13.4	.125	.053
FR6.7	6.7	.206	.061	FR9.7	9.7	.250	.041	FR13.4*	13.4	.276	.053
FR6.9*	6.9	.315	.030	<b>10.0 - 10.9</b>				FRX13 A*	13.4	.278	.025
<b>7.0 - 7.9</b>				FRW10.1	10.0	.120	.023	FRQ13.6	13.6	.195	.022
FRW7.0	7.0	.100	.020	FR10.2	10.0	.187	.050	FR14.0	13.9	.278	.058
FRM7.0*	7.0	.235	.035	FRY10.0	10.0	.200	.033	<b>14.0 - 14.9</b>			
FRW7.1	7.1	.160	.025	FR10.0	10.0	.272	.073	FRY14.0	14.0	.138	.031
FRW7.3	7.3	.140	.020	FR10.1	10.0	.310	.124	FRM14.0	14.0	.200	.031
FR7.4	7.4	.355	.090	FRY10.2	10.2	.065	.031	FR14.1	14.1	.259	.069
FRM7.5	7.5	.122	.025	FRX10.2	Sub with FRW10.1			FRQ14.5*	14.5	.270	.059
FRX7.5	7.5	.140	.065	FRM10.2	10.2	.210	.031	FRX14.5	14.5	.310	.059
FRZ7.5	7.5	.200	.030	FRX10.4	10.4	.300	.046	FRZ14.5	14.5	.390	.059
FR7.5	7.5	.340	.103	FR104*	10.4	.395	.046	FRY14.5	14.5	.470	.059
FRW7.7	7.7	.145	.023	FRX10.5	10.5	.160	.031	FR14.5	14.5	.550	.059
FR7.7	7.7	.187	.031	FRY10.4	10.5	.200	.031	FR14.6*	14.6	.270	.033
FRM7.7	7.7	.210	.027	FRM10.5	10.5	.210	.031	FRX14.7	14.7	.150	.040
FR7.8	7.7	.300	.040	FRW10.6	10.6	.250	.025	<b>15.0 - 15.9</b>			
FRX7.8	7.8	.115	.040	FR10.6	10.6	.250	.125	FRX15.2	15.1	.187	.033
<b>8.0 - 8.9</b>				FRX10.7	Sub with FRY10.7			FRZ15.2	Sub with FRM15.2		
FRW8.0	8.0	.150	.023	FRY10.7	10.7	.170	.025	FRM15.2	15.2	.235	.033
FRX8.0	8.0	.160	.035	FRW10.7	10.7	.210	.025	FR15.2	15.2	.265	.050
FRM8.0	8.0	.200	.031	FR10.9	10.8	.125	.025	FR15.3	15.3	.390	.040
FR8.2	8.2	.160	.020	FR10.8	10.8	.238	.038	FRX15.9	15.9	.330	.058
FRY8.4	8.4	.187	.040	FRX10.9	10.8	.312	.078	FR15.9	15.9	.478	.058
FR8.4	8.4	.270	.040	<b>11.0 - 11.9</b>							
FRW8.5	8.5	.150	.023	FRX11.0	11.0	.154	.031				
				FRY11.0	11.0	.172	.031				
				FRM11.0	11.0	.187	.031				
				FRZ11.0	11.0	.236	.025				
				FRX11.2	11.2	.120	.031				
				FRQ11.2	11.2	.236	.022				
				FRM11.2	11.2	.254	.031				
				FRX11.3	11.3	.163	.031				

\*= While quantities last.



### FLAT RUBBER BELTS (FR)

USE PRB SYSTEM

P/N	IC	C/S	WALL	P/N	IC	C/S	WALL	P/N	IC	C/S	WALL
<b>16.0 - 16.9</b>				<b>18.0 - 18.9</b>				FRX21.6 21.6 .205 .050			
FRZ16.0	16.0	.320	.058	FRQ 18.2	18.1	.312	.020	FRZ1.6	21.6	.450	.050
FRY16.0	16.0	.400	.058	FR18.2	18.1	.312	.030	FRX22.4	22.3	.155	.030
FR16.1	16.1	.281	.058	FR18.5	18.5	.315	.049	FRY22.4	22.3	.200	.030
FRX16.3	16.3	.158	.040	FRX18.7	18.7	.120	.032	FRY23.6	23.3	.135	.030
FRM16.3	16.3	.237	.040	FR18.7*	18.7	.317	.032	FRX23.6	23.3	.185	.030
FRX16.9	16.8	.200	.030	<b>19.0 - 19.9</b>				<b>25.0 - 29.9</b>			
FRM16.8*	16.8	.266	.040	FRX19.6	19.6	.125	.032	FRY25.0	25.0	.144	.033
FR16.9	16.8	.330	.030	FRZ19.6	19.6	.156	.031	FRX25.0	25.0	.210	.030
FRX16.8	16.9	.188	.040	FRA19.6	19.6	.200	.027	FRA25.0	25.0	.250	.033
<b>17.0 - 17.9</b>				FRY19.6	19.6	.310	.027	FR25.0*	25.0	.397	.033
FRY17.0	17.0	.275	.030	FR19.6	19.6	.350	.031	FR27.3	27.3	.200	.016
FRX17.0	Sub with FRY17.0			<b>20.0 - 24.9</b>				<b>30.0 - 34.9</b>			
FR17.0	17.0	.366	.085	FRX20.0	20.0	.125	.035	FR30.0*	30.0	.187	.030
FRY17.2	17.2	.147	.040	FR20.0	20.0	.185	.035	FRX35.1	33.7	.184	.035
FRX17.2	17.2	.275	.040	FRY20.5	20.5	.200	.046	<b>50.0 - 50.9</b>			
FR17.2	17.2	.320	.040	FR20.5*	20.5	.400	.046	FR50.5*			
FR17.5*	17.5	.370	.055	FRX20.7	20.7	.210	.030	50.5 .375 .093			
				FR21.5	21.5	.185	.033				

\*= While quantities last.

### FLAT FABRIC BELTS (FF)

USE PRB SYSTEM

P/N	IC	C/S	P/N	IC	C/S	P/N	IC	C/S
FF6.2	6.2	.350	FFX12.1*	12.1	.200	FF13.2*	13.2	.125
FF6.5*	6.5	.093	FF12.4"	12.4	.215	FF13.4*	13.4	.218
FF9.6*	9.6	.125	FF12.6	12.6	.218	FF15.0"	15.0	.218
FF11.0*	11.0	.093	FF12.8*	12.8	.187	*= While quantities last. Packaged 2/bag.		
FF11.5*	11.5	.218	FF13.0*	13.0	.255			

### FLAT RUBBER FABRIC BELTS (FRF)

USE PRB SYSTEM

P/N	IC	C/S	P/N	IC	C/S	P/N	IC	C/S
FRF6.5*	6.5	.175	FRF12.9	12.9	.125	FRF22.8*	22.8	.193
FRF7.6	7.8	.250	FRFX13.1*	13.1	.125	FRF23.0*	23.0	.750
FRF8.5*	8.5	.125	FRF13.1*	13.1	.220	FRF27.7*	27.7	.500
FRF8.9	8.9	.125	FRF13.4*	13.4	.245	FRF28.0*	28.0	.500
FRF9.0*	9.0	.250	FRF14.5*	14.5	.250	FRF28.5*	28.5	.500
FRF9.1	9.1	.125	FRF14.7*	14.5	.530	FRF28.8*	28.8	.500
FRF12.0	12.0	.125	FRF14.6*	14.6	.250	FRF29.5*	29.5	.500
FRF12.4"	12.4	.250	FRF17.0*	17.0	.126	*= While quantities last. Packaged 2/bag.		
FRFX12.5*	12.5	.127	FRF17.5*	17.5	.522	WALL is 2-ply for all FRF belts listed.		
FRF12.6*	12.6	.156	FRF22.5*	22.5	.190			

### V-ShAPE RUBBER FABRIC BELTS (VT)

USE PRB SYSTEM

P/N	IC	C/S	WALL	P/N	IC	C/S	WALL				
VT13.2*	13.2	.187	.107	VT13.3*	13.3	.187	.107	*= While quantities last. Packaged 2/bag.			
				VT16.4*	16.9	.300	.223				

### V-SLIAPE RUBBER BELTS (VR)

USE PRB SYSTEM

P/N	IC	C/S	WALL	P/N	IC	C/S	WALL	P/N	IC	C/S	WALL
VR4.6	4.6	.092	.082	VR9.0*	9.1	.092	.058	VR20.3*	21.1	.210	.120
VR7.8*	8.0	.085	.065	VR11.2*	11.2	.137	.112	*= While quantities last. Packaged 2/bag.			

### GEAR TYPE BELTS (GT)

USE PRB SYSTEM

P/N	IC	C/S # OF TEETH	P/N	IC	C/S	OF TEETH	P/N	IC	C/S # OF TEETH		
GT8.1A*	8.1	.125	40	GT12.6*	12.6	.187	67	GT23.5*	23.5	.366	120
GT8.5*	8.5	.233	45	GT12.8*	12.8	.375	55	GT27.6*	27.6	.198	141
GT9.1"	9.1	.156	50	GT13.0*	13.0	.187	68	GT29.3*	29.3	.250	123
GT9.2B*	9.2	.245	118	GT13.7*	13.7	.250	60	GT38.6*	38.6	.375	352
GT11.1*	11.1	.253	140	GT15.5*	15.5	.187	80	GT38.7*	38.7	.375	207
GT11.7*	11.7	.187	61	GT20.5"	20.5	.187	105	GT49.8*	49.8	.373	249
GT12.4*	12.4	.187	64	GT20.7"	20.7	.187	106	*= While quantities last. Packaged 2/bag			
				GT20.9*	20.9	.187	107				



### RouNd RUBBER DRIVE BELTS (0)

USE **PRB** SYSTEM

P/N	IC	C/S	P/N	IC	C/S	P/N	IC	C/S	P/N	IC	C/S
OX5.5	5.5	.055	OA19.5	19.5	.070	OB11.7	11.7	.103	009.0	9.0	.139
OX5.9	5.9	.047	OA40.0*	36.0	.070	OB12.4	12.4	.103	009.4	9.4	.139
OA.53*	.5	.070	OB1.2	1.2	.103	OB13.2	13.2	.103	009.8	9.8	.139
OA.75*	2.3	.070	OB1.5	1.5	.103	OB14.0	14.0	.103	0010.1*	10.1	.139
OA1.2	1.2	.070	OB1.7	1.7	.103	01315.6	15.6	.103	0010.5	10.5	.139
OA2.7	2.7	.070	OB2.2	2.2	.103	OB16.4	16.4	.103	0010.9	10.9	.139
OA3.1	3.1	.070	OB2.5*	2.5	.103	OB17.2	17.2	.103	0011.2	11.2	.139
OA3.8	3.8	.070	OB3.8	3.8	.103	OB18.0	18.0	.103	0011.7	11.7	.139
OA4.0	4.0	.070	OB4.2*	4.2	.103	OB19.5*	19.5	.103	0012.1	12.1	.139
OA4.2	4.2	.070	OB4.4	4.4	.103	01321.1*	21.1	.103	0012.4	12.4	.139
OA4.6	4.6	.070	OB4.6	4.6	.103	002.3	2.3	.139	0012.8	12.8	.139
OA5.0	5.0	.070	OB5.0	5.0	.103	002.5	2.5	.139	0013.2	13.2	.139
OA5.4	5.4	.070	OB5.2	5.2	.103	002.7	2.7	.139	0013.6	13.6	.139
OA5.8*	5.8	.070	OB5.6	5.6	.103	003.1	3.1	.139	0014.0	14.0	.139
OA6.1	6.1	.070	OB5.8	5.8	.103	003.7	3.7	.139	0014.4*	14.4	.139
OA6.6	6.6	.070	OB6.1	6.1	.103	003.8	3.8	.139	0014.8	14.8	.139
OA7.0	7.0	.070	OB6.4	6.4	.103	004.0	4.0	.139	0015.6	15.6	.139
OA7.4	7.4	.070	OB6.6	6.6	.103	004.2	4.2	.139	0016.0	16.0	.139
OA8.2	8.2	.070	OB7.0	7.0	.103	004.4	4.4	.139	0016.4*	16.4	.139
OA8.5	8.5	.070	OB7.2	7.2	.103	004.6	4.6	.139	0016.8	16.8	.139
OA9.0	9.0	.070	OB7.6	7.6	.103	005.0	5.0	.139	0017.2*	17.2	.139
OA9.4	9.4	.070	OB8.0	8.0	.103	005.4	5.4	.139	0017.5	17.5	.139
OA10.1	10.1	.070	OB8.2	8.2	.103	005.8	5.8	.139	0018.0...		.139
OA10.9	10.9	.070	OB8.4	8.4	.103	006.1	6.1	.139	0020.3 -	20.3	.139
OA11.7	11.7	.070	OB8.5	8.5	.103	006.6	6.6	.139	0021.9	21.9	.139
OA12.4	12.4	.070	OB8.8	8.8	.103	007.0	7.0	.139	0024.2	24.2	.139
OA13.2	13.2	.070	OB9.0	9.0	.103	007.4	7.4	.139	0025.0	25.0	.139
OA14.0	14.0	.070	OB9.4	9.4	.103	007.8	7.8	.139	0025.8	25.8	.139
OA14.8	14.8	.070	OB10.1	10.1	.103	008.2	8.2	.139	0027.4*	27.4	.139
OA16.4	16.4	.070	OB10.9	10.9	.103	008.5	8.5	.139			

\* While quantities last.

### RouNd FABRIC BEETS (RF)

USE **PRB** SYSTEM

P/N	IC	C/S	P/N	IC	C/S
RF24.2	24.2	.141	RF30.6	30.6	.125

• While quantities last.

### SPECIAL RouNd RUBBER BEETS OS)

USE **PRB** SYSTEM

P/N	IC	C/S	P/N	IC	C/S	P/N	IC	C/S	P/N	IC	C/S
OSA4.5	4.5	.080	OSD1.6	1.6	.210	OSD8.6	8.6	.210	OSD13.4	13.4	.210
OSC7.3	7.3	.168	OSD3.8	3.8	.210	OSD9.0	9.0	.210	OS014.9*	14.9	.210
OSC10.2	10.2	.168	OSD4.7	4.7	.210	OSD10.0	10.0	.210	OSD16.2	16.2	.210
OSC18.5	18.5	.139	OSD6.7	6.7	.210	OSD10.5	10.5	.210	OSD17.7*	17.7	.210
OSC21.2*	21.2	.170	OSD7.1	7.1	.210	OSD11.0	11.0	.210	OSD19.7	19.7	.210
OSC22.0	22.0	.156	OSD8.1	8.1	.200	OSD11.2	11.2	.210	OSD22.8*	22.8	.210
OSC22.8	22.8	.139	OSD8.2	8.2	.210	OSD13.0*	13.0	.210			

" While quantities last.




## SQUARE CUT RUBBER BELTS (SC)

USE PRB SYSTEM

As shown, the PRB number shows the type of belt (SC = Square Cut), cross section and inside circumference as measured by the MEASUR-A-BELT II.

**Example:** SCY4.0 = .039 or less x 4.0" IC      SCA4.0 = .065 - .079 x 4.0" IC  
 SCX4.0 = .040 - .049 x 4.0" IC      \*SCB4.0 = .080 - .094 x 4.0" IC  
 SCQ4.0 = .050 - .064 x 4.0" IC      \*SCC4.0 = .095 & up x 4.0" IC

\*This P/N does not exist.



P/N	IC	C/S	WALL	P/N	IC	C/S	WALL	P/N	IC	C/S	WALL
SCY1.2	1.2	.030	.030	SCX12.2	12.2	.045	.047	SCAI2.0	12.0	.066	.066
SCY1.5	1.5	.030	.025	SCX13.6	13.6	.050	.045	SCAI2.5	12.5	.064	.064
SCY2.2	2.2	.032	.032	SCX14.0	14.0	.047	.047	SCAI3.0	13.0	.078	.078
SCY2.9	2.9	.032	.032	SCX14.5	14.5	.043	.043	SCAI3.2	13.2	.075	.075
SCY3.2	3.2	.039	.039	SCX14.7	14.7	.048	.048	SCAI3.6	13.6	.070	.070
SCY3.5	3.5	.036	.036	SCX15.0	15.0	.048	.048	SCAI4.1	14.1	.079	.079
SCY4.0	4.0	.040	.040	SCX15.2	15.2	.045	.045	SCB2.3	2.3	.091	.108
SCY4.2	4.2	.034	.035	SCX15.5	15.5	.047	.047	SCB2.5	2.5	.085	.085
SCY4.4	4.4	.034	.035	SCX16.0	16.0	.048	.048	SCB2.6	2.6	.089	.091
SCY4.6	4.6	.033	.033	SCX17.7	17.7	.045	.045	SCB2.8	2.8	.079	.079
SCY4.8	4.8	.035	.036	SCX18.5	18.5	.049	.049	SCB3.2	3.2	.083	.100
SCY5.0	5.0	.040	.040	SCX20.7	20.7	.046	.046	SCB3.6	3.6	.090	.090
SCY5.2	5.2	.035	.035	SCQ2.0	2.0	.063	.063	SCB3.8	3.8	.081	.081
SCY5.5	5.5	.036	.036	SCQ2.2	2.2	.055	.055	SCB4.2	4.2	.097	.097
SCY5.7	5.7	.039	.039	SCQ2.5	2.5	.060	.060	SCB5.7	5.7	.078	.078
SCY6.0	6.0	.035	.035	SCQ3.0	3.0	.056	.056	SCB6.0	6.0	.100	.100
SCY6.3	6.3	.035	.035	SCQ3.2	3.2	.068	.068	SCB6.6	6.6	.083	.083
SCY6.5	6.5	.036	.036	SCQ3.6	3.6	.059	.059	SCB6.7	6.7	.090	.090
SCY6.7	6.7	.035	.035	SCQ4.0	4.0	.057	.057	SCB6.9	6.9	.085	.085
SCY7.0	7.0	.031	.034	SCQ4.3	4.3	.065	.065	SCB7.0	7.0	.100	.100
SCY7.3	7.3	.035	.035	SCQ4.6	4.6	.057	.057	SCB7.1	7.1	.085	.085
SCY7.5	7.5	.038	.038	SCQ4.8	4.8	.062	.063	SCB8.1	8.1	.100	.100
SCY7.8	7.8	.031	.040	8005.1	5.1	.062	.062	SCB8.2	8.2	.087	.087
SCY8.0	8.0	.031	.031	SCQ5.3	5.3	.059	.059	SCB8.4	8.5	.080	.080
SCY8.2	8.2	.038	.038	SCQ5.6	5.6	.051	.051	SCB8.6	8.6	.100	.100
SCY8.6	8.6	.039	.039	SCQ5.7	5.7	.061	.061	SCB9.2	9.2	.086	.086
SCY9.0	9.0	.040	.040	SCQ6.0	6.0	.050	.050	SCB9.5	9.5	.084	.084
SCY9.2	9.2	.035	.035	SCQ6.5	6.5	.063	.063	SCB9.8	9.8	.098	.099
SCY10.2	10.2	.035	.031	SCQ6.7	6.7	.055	.055	SCB10.0	10.0	.078	.078
SCY10.5	10.5	.031	.031	SCQ7.2	7.2	.063	.063	SCB10.5	10.5	.093	.093
SCY11.7	11.7	.039	.038	SCQ7.8	7.8	.065	.065	SCB11.3	11.3	.100	.100
SCY12.7	12.7	.040	.031	SCQ8.0	8.0	.058	.058	SCB11.6	11.6	.087	.087
SCY13.3	13.3	.031	.031	SCQ8.2	8.2	.062	.062	SCB12.1	12.1	.078	.083
SCY14.7	14.7	.040	.040	SCQ8.8	8.8	.051	.051	SCB12.5	12.5	.078	.078
SCY15.2	15.2	.035	.033	SCQ9.8	9.8	.064	.064	SCB14.0	14.0	.099	.099
SCY16.3	16.3	.040	.040	SCQ10.0	10.0	.053	.052	SCB14.6	14.6	.086	.085
SCY16.8	16.8	.040	.040	SCQ11.1	11.1	.059	.057	SCB16.6	16.6	.075	.075
SCX1.9	1.9	.040	.040	SCQ15.9	15.9	.060	.058	SCB17.0	17.0	.085	.085
SCX2.4	2.4	.044	.044	SCA2.3	2.3	.065	.065	SCB18.1	18.1	.093	.093
SCX2.6	2.6	.041	.039	SCA3.0	3.0	.074	.074	SCB21.2	21.2	.093	.093
SCX2.9	2.9	.046	.046	SCA3.2	3.2	.075	.075	SCB24.2	24.2	.113	.109
SCX3.2	3.2	.046	.046	SCA3.5	3.4	.074	.074	SCB28.2	28.2	.109	.109
SCX3.5	3.5	.042	.042	SCA4.0	4.0	.068	.068	SCC3.0	3.0	.100	.100
SCX4.0	4.0	.047	.047	SCA4.2	4.2	.072	.072	SCC4.3	4.3	.096	.096
SCX4.3	4.3	.045	.045	SCA4.5	4.5	.070	.070	SCC4.6	4.6	.112	.104
SCX4.6	4.6	.046	.046	SCA5.0	5.0	.075	.075	SCC6.1	6.1	.100	.110
SCX4.9	4.9	.045	.045	SCA5.4	5.4	.070	.070	SCC6.3	6.3	.110	.110
SCX5.1	5.1	.048	.048	SCA5.6	5.6	.078	.078	SCC6.6	6.6	.130	.140
SCX5.5	5.5	.043	.043	SCA6.1	6.1	.079	.079	SCC7.5	7.5	.125	.103
SCX5.8	5.8	.047	.047	SCA6.7	6.7	.075	.074	SOC8.2	8.2	.163	.120
SCX6.2	6.2	.050	.050	SCA7.1	7.1	.075	.075	SCC8.7	8.7	.125	.125
SCX7.0	7.0	.047	.045	SCA7.5	7.5	.080	.080	SCC9.6	9.6	.145	.145
SCX7.4	7.4	.048	.048	SCA8.1	8.1	.070	.070	SQC10.0	10.0	.141	.125
SCX8.0	8.0	.046	.046	SCA8.6	8.6	.070	.070	SCC12.1	12.1	.108	.101
SCX8.4	8.4	.050	.048	SCA8.9	8.9	.075	.075	SCC12.6	12.6	.090	.090
SCX8.6	8.6	.044	.048	SCA9.2	9.2	.075	.075	SCC14.1	14.1	.137	.137
SCX8.9	8.9	.050	.046	SCA9.6	9.6	.065	.065	SCC15.7	15.7	.095	.095
SCX9.2	9.2	.048	.048	SCA10.0	10.0	.069	.069	SCC17.8	17.8	.120	.120
SCX9.5	9.5	.048	.048	SCA10.5	10.5	.075	.075	SCC24.3	24.3	.125	.125
SCX10.5	10.5	.048	.048	SCA11.1	11.1	.064	.063	SCC28.7	28.7	.130	.130
SCX10.7	10.7	.046	.048	SCA11.5	11.5	.065	.065	SCC31.2	31.0	.125	.128
SCX11.8	11.8	.048	.048								



**Vide0 CLUTCH TIRES**

**PRB SYSTEM dOES NOT Apply**

P/N	OD	C/S	WALL	P/N	OD	C/S	WALL	P/N	OD	C/S	WALL
ST.253	.253	.320	.065	ST.985	1.001	.107	.090	ST1.230	1.230	.125	.125
ST.390	.390	.225	.100	ST1.016	1.016	.114	.135	ST1.243	1.243	.125	.120
ST.470	.468	.140	.072	ST1.014	1.017	.132	.133	ST1.218	1.264	.108	.150
ST.515	.515	.190	.085	ST1.110	1.093	.191	.126	ST1.330	1.321	.119	.123
ST.599	.600	.120	.105	ST1.118	1.122	.120	.105	ST1.350	1.360	.160	.110
ST.670	.667	.122	.115	ST1.130	1.130	.120	.130	ST1.370	1.370	.125	.203
ST.685	.685	.130	.095	ST1.152	1.152	.102	.118	ST1.396	1.396	.155	.124
ST.752	.749	.158	.121	ST1.156	1.156	.160	.126	ST1.495	1.415	.155	.130
ST.753	.753	.158	.105	ST1.165	1.170	.115	.125	ST1.46	1.459	.126	.125
ST.850	.850	.110	.125	ST1.160	1.170	.187	.125	ST1.420	1.500	.155	.165
ST.927	.927	.118	.127	ST1.185	1.185	.100	.130	ST1.54	1.541	.190	.215
ST.948	.950	.140	.085	ST1.211	1.201	.120	.160	ST2.245	2.245	.270	.185
ST.977	.977	.118	.130	ST1.208	1.208	.120	.098				
ST.988	.988	.158	.117	ST1.205	1.229	.140	.107				

**SPECIAL CUT Vide0 CEUTC11 TIRES**

**PRB SYSTEM dOES NOT Apply**

P/N	OD	C/S	WALL	P/N	OD	C/S	WALL	P/N	OD	C/S	WALL
ST.453	.453	.155	.078	ST.790	.790	.160	.125	ST1.182	1.180	.200	.125
ST.463	.463	.084	.052	ST.925	.925	.190	.127	ST1.22	1.218	.177	.138
ST.495	.495	.305	.105	ST.970	.970	.160	.208	ST1.28	1.274	.065	.125
ST.675	.675	.238	.111	ST1.19	1.040	.187	.140	ST1.31	1.310	.155	.185
ST.689	.689	.117	.061	ST1.115	1.060	.243	.130	ST1.580	1.580	.114	.127
ST.707	.710	.190	.179	ST1.121	1.109	.077	.077	ST1.53	1.590	.158	.130
ST.771	.768	.087	.064	ST1.113	1.110	.155	.130	ST1.935	1.940	.200	.170
ST.773	.751	.094	.094	ST1.191	1.151	.190	.128	ST2.48	2.480	.139	.095
ST.776	.776	.195	.103	ST1.174	1.174	.195	.120	ST3.63	3.630	.250	.125

**SQUARE CUT MOLdEd TIRES (BANdS)**

**PRB SYSTEM dOES NOT Apply**

P/N	OD	C/S	WALL	P/N	OD	C/S	WALL	P/N	OD	C/S	WALL
ST.128	.130	.160	—	STC.703	.703	.187	.109	ST.750	.956	.066	.102
STC.335	.335	1.250	.068	ST.720	.719	.473	.065	STC.975	.960	.080	.074
STC.363	.363	.253	.042	ST.719	.719	.540	.062	ST.937	.965	.090	.115
ST.365	.365	.300	.090	STC.728	.728	.087	.063	ST.965	.968	.120	.091
STC.200	.390	.115	.100	STC.730	.730	.157	.125	STC.980	.980	.082	.118
STC.422	.422	.130	.086	STC.740	.740	.085	.110	STC.984	.984	.066	.117
STC.441	.440	.114	.075	STC.743	.742	.100	.083	ST.999	.999	.080	.115
STC.445	.445	.085	.080	STC.549	.747	.099	.099	STC1.00	1.000	.220	.140
STC.449	.449	.084	.113	STC.774	.750	.080	.103	ST1.21	1.035	.062	.086
STC.450	.450	.073	.062	STC.465	.750	.210	.155	STC1.30	1.030	.140	.128
STC.561	.470	.180	.103	STC.881	.760	.068	.090	STC1.02	1.035	.080	.140
STC.484	.484	.072	.093	STC.782	.760	.075	.109	STC1.06	1.036	.080	.155
STC.503	.490	.240	.090	ST.785	.760	.160	.125	STC1.17	1.050	.072	.135
STC.502	.500	.125	.094	STC.760	.760	.220	.180	STC1.12	1.050	.180	.180
STC.505	.500	.210	.125	STC.762	.762	.077	.110	STC1.057	1.057	.086	.145
ST.525	.510	.054	.045	STC.775	.770	.070	.135	STC1.60	1.057	.180	.090
ST.562	.530	.191	.142	STC.770	.770	.200	.110	STC1.14	1.070	.190	.204
STC.535	.535	.470	.080	STC.579	.775	.075	.098	STC1.20	1.120	.245	.145
ST.536	.536	.070	.103	STC.778	.778	.117	.094	STC1.07	1.140	.192	.078
STC.520	.540	.086	.080	STC.780	.780	.335	.080	STC.951	1.165	.075	.120
STC.645A	.550	.095	.113	STC.788	.788	.075	.156	ST1.18	1.190	.100	.105
STC.570	.570	.110	.105	STC.795	.795	.077	.085	ST1.24	1.218	.163	.256
STC.589	.570	.125	.080	STC.563	.810	.125	.110	STC.735	1.240	.500	.255
ST.585	.585	.155	.100	STC.816	.816	.101	.104	STC1.25	1.250	.255	.139
STC.591	.591	.086	.086	STC.823	.823	.060	.107	STC1.26	1.274	.180	.100
STC.594	.594	.080	.100	STC.840	.828	.145	.045	STC1.55	1.400	.115	.150
STC.600	.600	.055	.087	ST.828	.828	.196	.070	ST1.41	1.415	.143	.164
STC.592	.602	.367	.103	ST.870	.830	.525	.140	STC1.50	1.450	.075	.110
STC.605	.605	.287	.080	ST.954	.840	.070	.110	811.48	1.475	.614	.087
STC.645	.610	.102	.158	ST.843	.843	.325	.200	ST1.86	1.750	.120	.160
STC.610	.610	.760	.180	STC.825	.845	.750	.155	STC1.75	1.750	.186	.160
STC.615	.615	.140	.110	ST.815	.855	.140	.165	STC1.77X	1.780	.117	.082
STC.499	.619	.230	.060	STC.882	.880	.150	.150	ST1.77	1.780	.187	.082
STC.620	.620	.075	.120	ST.880	.880	.210	.150	STC1.61	1.850	.185	.175
STC.624	.625	.099	.105	STC.994	.895	.171	.054	STC1.93	1.905	.190	.160
STC.638	.638	.054	.093	STC.896	.900	.050	.080	ST2.36	2.385	.120	.150
STC.684	.640	.170	.120	STC.937X	.915	.090	.070	STC2.16	2.399	.184	.125
STC.506	.640	.221	.070	ST.949	.927	.141	.200	ST2.66	2.590	.187	.218
SIC:643	.643	.061	.036	STC.931	.930	.120	.115	STC2.58	2.590	.191	.228
STC.641	.660	.052	.135	STC.952	.935	.050	.110	ST2.65	2.650	.187	.096
STC.647	.662	.080	.080	STC.742	.944	.090	.101	STC2.75	2.750	.186	.185
STC.679	.680	.077	.085	STC.953	.953	.076	.169	STC2.30	2.870	.280	.250
STC.703A	.703	.160	.109	STC.955	.955	.066	.080				

STC = Special Order Tire



## WIRE BEETS & I(1TS (WP/WB)

How To Use Wire Belt Charts: Chart #2 includes the length of your belt and the WB conversion. Refer to Chart #1 to determine the gauge of the wire and the overall outside diameter. Then cut the WB Belting to the length of WP Belt you need and connect the ends by using the inserts included with your WB Kit\*.



Interlocking Rib Connectors

- Supplied with insert connectors
- No hooks necessary

**Chart #1**

P/N	OD	GAUGE	P/N	OD	GAUGE	P/N	OD	GAUGE
WBO1	.093	.015	WBO4	.156	.022	WBO7*	.098	.022
WBO2	.111	.017	WBO5	.156	.027	WBO8	.140	.025
WBO3	.126	.020	WBO6	.096	.019	WBO9	.163	.031

Belts have a length of 120 inches.  
\*No insert connectors for WB07 belt


**unart ifi**

P/N	WB	LENGTH INCHES	P/N	WB	LENGTH INCHES	P/N	WB	LENGTH INCHES	P/N	WB	LENGTH INCHES
WP01	08	30.87	WP34	05	20.00	WP55F	02	15.25	WP74A	03	10.75
WP02	08	24.87	WP35	06	35.25	WP55G	02	11.75	WP74B	03	12.65
WP03	08	20.50	WP35A	06	25.00	WP56	08	24.50	WP75	03	22.50
WP04	08	24.37	WP36	06	42.75	WP57	08	22.50	WP76	08	36.37
WP05	08	26.00	WP36A	06	10.18	WP58	03	26.12	WP77	03	26.00
WP06	08	29.25	WP37	06	19.50	WP59	08	22.87	WP78	08	35.37
WP07	08	31.75	WP38	06	17.00	WP60	03	26.62	WP79	01	13.00
WP08	SS	34.00	WP40	06	10.50	WP61	08	25.50	WP79A	01	9.75
WP09	03	25.62	WP4QA	04	12.75	WP61A	02	9.37	WP79B	01	8.75
WP10	03	24.00	WP4OB	04	23.75	WP61B	02	7.50	<b>•WP80</b>	<b>Special</b>	
WP11	03	10.00	WP4OC	05	29.00	WP61C	02	11.12	WP81	Special	
WP13	02	15.12	WP4OD	04	14.5Q	WP61D	02	11.75	WP82	09	7.12
WP14	02	11.12	WP4OE	08	32.50	WP61E	02	15.87	WP83	09	7.12
WP15	03	11.87	WP4OF	06	17.25	WP61F	02	12.50	WP90	05	12.00
WP16	03	9.62	WP41	08	16.00	WP61G	02	7.00	WP91	05	16.37
WP17	01	25.25	WP42	08	25.50	WP61H	02	9.12	WP91A	05	26.12
WP18	03	7.87	WP44	03	15.25	WP61J	02	20.50	WP92	06	13.25
WP19	02	9.18	WP45A	06	10.75	WP61K	03	16.06	WP93	02	8.00
WP20	06	17.25	WP46	01	14.12	WP61M	03	17.50	WP94	02	9.43
WP21	01	10.25	WP49	05	25.75	WP62	04	17.75	WP95	02	6.00
WP23	05	24.75	WP50	05	30.00	WP63	04	22.50	WP96	05	29.25
<b>•0/P24</b>	<b>05</b>	<b>21.75</b>	WP50A	08	28.12	WP64	04	20.75	WP97	06	5.50
<b>•WP25</b>	<b>07</b>	<b>26.87</b>	WP51	02	18.00	WP65	09	32.00	WP98	Special	10.75
<b>•P/P26</b>	<b>07</b>	<b>30.87</b>	WP52	08	23.25	WP65A	08	21.50	WP99	03	8.37
<b>•WP27</b>	<b>07</b>	<b>28.87</b>	WP53	08	25.25	<b>•WP66</b>	<b>05</b>	<b>21.00</b>	WP100	08	20.00
WP28	05	21.25	<b>•WP53A</b>	<b>Special</b>		<b>•WP67</b>	<b>05</b>	<b>29.00</b>	WP101	01	9.75
WP29	05	26.25	WP54	08	25.87	<b>•WP68</b>	<b>09</b>	<b>29.00</b>	WP102	02	18.25
WP29A	08	32.50	<b>•WP54A</b>	<b>Special</b>		<b>•WP69</b>	<b>09</b>	<b>21.00</b>	WP103	01	7.37
WP32	05	22.25	WP55	02	10.25	WP70	03	21.50	WP104	03	20.62
WP32A	06	8.75	WP55A	02	9.75	WP71	03	16.25	WP105	03	9.00
WP325	06	5.62	WP558	02	10.50	WP72	03	11.87	WP106	02	7.62
WP33	07	28.75	WP55G	02	7.75	WP73	03	10.65			
WP33A	07	29.75	WP55D	02	15.37	WP74	03	16.12			
			WP55E	02	12.62						


SS = Stainless Steel  
• = Spring Wire Belt (WP) in stock

## VidEo CLUTCH TIRE SiziNg CHART


The VIDEO CLUTCH TIRE SIZING CHART has been developed to help you quickly identify Video Clutch Tires and find the correct PRB Line® replacement. Simply place your original tire on the circle that matches the tire's inside and outside diameter. You can also use the chart to size the cross section (height) and wall (thickness). Find your replacement in seconds without any special tools! Offered as another service to you - there is *no charge* for the Video Clutch Tire Sizing Chart. Ask for it when you place your next order.




**P/N: TIRE CHART  
FREE!**




**P/N: V752**  
**AKAI**  
 EGO-11-11-097USA  
 Fits Most Samsung




**P/N: V753**  
**JVC**  
 PU52135  
 Fits Most JVC, Zenith




**P/N: V754**  
**MITSUBISHI**  
 PU57855-01



**P/N: V755**  
**FISHER**  
 143-9-4300-57500  
 143-9-4300-57501  
 Same part as V756 -  
 Mfr. P/N label is different




**P/N: V756**  
**SANYO**  
 4-1164-031600/10  
 4-1164-031611/20  
 Same part as V755 -  
 Mfr. P/N label is different




**P/N: V757**  
**TOSHIBA**  
 MSU-911  
 70123083



**P/N: V758**  
**EMERSON**  
 MDF33-VA3409



**P/N: V759**  
**SHARP**  
 RTUNE0149GEZZ  
 RTUNE0188GEZZ




**P/N: V760**  
**EMERSON**  
 MDF8-VA3422




**P/N: V761**  
**TOSHIBA**  
 MSU-951




**P/N: V762**  
**SANYO/FISHER**  
 4-1164-231600



**P/N: V763**  
**SANYO/FISHER**  
 4-1164-131600



**P/N: V764**  
**NEC**  
**SAMSUNG**  
 62569-002-035



**P/N: V766**  
**FUNAI**  
 1810632-US  
**SYMPHONIC**  
**MULTITECH**



**P/N: V767**  
**FUNAI - 181225B-US**  
**RCA - 201191**  
**SAMSUNG**  
 62569-002-283




**P/N: V768**  
**HITACHI**  
 5587752



**P/N: V769**  
**SANYO**  
 1AC4F2AU00070  
 613-083-7110  
 M2022AB



**P/N: V770**  
**SHARP**  
 RCNVR0006GEZZ



**P/N: V771**  
**SHARP**  
 RCNVR0035GEZZ




**P/N: V772**  
**HITACHI**  
 5589241



**P/N: V773**  
**GOLDSTAR**  
 MDF33-3447  
 592-901 A




**P/N: V774**  
**HITACHI**  
 5587753



**P/N: V775**  
**PANASONIC**  
 ENC86811



**P/N: V776**  
**RCA**  
 MDF8-VA3421  
 189292



























































**P/N: V777**  
**RCA**  
 MDF33-VA3425  
 196213

# EQUIVALENCE CHART

(FRACTIONS...DECIMALS)

INCH FRACTION INCH DECIMAL MILLIMETER INCH FRACTION INCH DECIMAL MILLIMETER

Equivalent Diameters and Circumferences to Nearest Decimal

	.015625	.3969		.515625	13.0969	INSIDE DIAMETER	=	INSIDE CIRCUMFERENCE
	.03125	.7938		.53125	13.4938			
	.046875	1.1906		.546875	13.8906	3/4	2.36	
	.0625	1.5875		.5625	14.2875	1	3.14	
	.078125	1.9844		.578125	14.6844	1-1/4	3.92	
	.09375	2.3813		.59375	15.0813	1-1/2	4.72	
	.109375	2.7781		.609375	15.4781	1-3/4	5.5	
	.125	3.175		.625	15.875	2	6.28	
	.140625	3.5719		.640625	16.2719	2-1/4	7.18	
	.15625	3.9688		.65625	16.6688	2-1/2	7.86	
	.171875	4.3656		.671875	17.0656	2-3/4	8.64	
	.1875	4.7625		.6875	17.4625	3	9.42	
	.203125	5.1594		.703125	17.8594	3-1/4	10.22	
	.21875	5.5563		.71875	18.2563	3-1/2	11.00	
	.234375	5.9531		.734375	18.6531	3-3/4	11.78	
	.25	6.350		.75	19.050	4	12.56	
	.265625	6.7469		.765625	19.4469	4-1/4	13.36	
	.28125	7.1438		.78125	19.8438	4-1/2	14.14	
	.296875	7.5406		.796875	20.2406	4-3/4	14.92	
	.3125	7.9375		.8125	20.6375	5	15.70	
	.328125	8.3344		.828125	21.0344	5-1/4	16.50	
	.34375	8.7313		.84375	21.4313	5-1/2	17.28	
	.359375	9.1281		.859375	21.8281	5-3/4	18.18	
	.375	9.525		.875	22.225	6	18.84	
	.390625	9.9219		.890625	22.6219	6-1/4	19.64	
	.40625	10.3188		.90625	23.0188	6-1/2	20.42	
	.421875	10.7156		.921875	23.4156	6-3/4	21.20	
	.4375	11.1125		.9375	23.8125	7	21.98	
	.453125	11.5094		.953125	24.2094	7-1/4	22.78	
	.46875	11.9063		.96875	24.6063	7-1/2	23.56	
	.484375	12.3031		.984375	25.0031	7-3/4	24.34	
	.5	12.700		1	25.400	8	25.14	

## FCC AND UL NUMBERS TO MANUFACTURERS' CROSS. REFERENCE

Every VCR, personal computer, cordless telephone and microwave oven must carry an FCC (Federal Communications Commission) identification number. The first three characters of that number identify the manufacturer of the product. The 1,11. (Underwriters Laboratories) numbers on consumer electronic products also identify the manufacturer.

### FCC NUMBERS TO MANUFACTURERS

ASH	Akai
C5F	Daewoo
AJU, ATR	General Electric.
BEJ	Goldstar
ABL	Hitachi
ADT	Lloyds
BOU, ANC)	Magnavox
BGB	Mitsubishi
A3D	NEC
ACI, ACJ, ACL	Panasonic
AHK, AHM	Panasonic
AHA	RCA
A3L	Samsung
AFA, APA	Sanyo/Fisher
AFL, APY, ATA	Sharp
EOZ	Shintom
AK8	Sony
AIX	Sylvania
ADT	Symphonic
A7R	TMK
AG1, AJX, AKGI	Toshiba
ASI, AS1	Zenith/JVC

### UL NUMBERS FOR VCR MANUFACTURERS (unofficial)

UL NUM.	MANUFACTURER	BRAND NAMES
16M4 & 16M6	Samsung	Cybrex, GE, Multitech, RCA, ToteVision, Intech, Supra
174Y	Toshiba	Sears
238Z	Hitachi	GE, JC Penney, Pentax, RCA
333Z	Symphonic	REAC, KTO, Realistic, Multitech
403Y	Fisher/Sanyo	Funai, Partavideo, Dynatech
439F	JVC	TMK
44L6	TMK	Realistic, Sears
504F	Sharp	Zenith, Kenwood, Sansui
51K8	PortaVideo	Emerson, Lloyds, Brooksonic
536Y	Mitsubishi	Wards, KMC
570F	Sony	Emerson, Video Concepts
679F	Panasonic	MGA, Zenith
781Y	NEC	RCA, GE, Magnavox, Quasar
86B0	Goldstar	Dumont, Video Concepts, Vector, Sears, Realistic, JC Penney, ToteVision, Shintom, Memorex



# THE PRB BELT SYSTEM IS...

✓ **FAST** ✓ **PROFITABLE** ✓ **EASY**


## HERE'S HOW THE PRB BELT SYSTEM WORKS

Projector-Recorder Belt Corp. provides you with PRB's exclusive and easy to use MEASUR-A-BELT GUIDE. You simply measure the customer's old belt by putting it on the MEASUR-A-BELT GUIDE (use either the tabs at the top or the metal grommets). The guide will determine the inside circumference of the belt in both inches and centimeters. You should then deduct 5%-10%\* from that measurement and use that size as an approximate guide for the new replacement belt. The guide also helps you determine the width (cross section) of the belt in inches and/or centimeters. This information is contained in the PRB part number." With the information provided by the MEASUR-A-BELT GUIDE, you can find the replacement belt just by checking the PRB stock number printed on the belt packages. By using this exclusive numbering system you know the new PRB Belt is exactly the right belt to replace the old one.

\* Deducting 5%-10% from the original belt allows for possible "stretch" of an old belt and assures a snug fit of the new belt.  
 \*\* Exceptions to this include the OS, GT, VT & RF belts.

### Place Old Belt On These Tabs Or Grommets To Measure Inside Circumference

Indicates Belt width  
 (Cross Section )  
 And Wall Thickness  
 (just insert belt into  
 opening nearest its  
 size to determine  
 correct cross  
 section and wall.)



Inside Belt  
 Circumference  
 (Small Belts)

Inside Belt  
 Circumference  
 (Large Belts)

Calipers for Measuring Outside Wheel Diameters are indicated on reverse side of Guide.

All dimensions of each belt are measured in inches. Following is the "KEY" to the numbering system:

- SC prefix = Square Cut Belt
- 0 prefix = 0 Ring Belt
- FR prefix = Flat Rubber Belt

### SQUARE CUT & 0 RING BELTS

- Y = .039 or less
- X = .040 - .049
- Q = .050 - .064
- A = .065 - .079
- B = .080 - .094
- C = .095 & up

HERE ARE SOME EXAMPLES:

- SCY8.6 = square cut belt with .039 or less c/s and 8.6" ic
- SCX8.6 = square cut belt with .040-.049 c/s and 8.6" ic
- OX5.9 = round 0 ring belt with .040-.049 c/s and 5.9" ic
- 0A10.1 = round 0 ring belt with .070 c/s and 10.1" ic

### FLAT BELTS

When replacing FLAT belts determine 1) inside circumference, 2) cross section and 3) wall thickness (items 2 & 3 above can be measured by using the plastic scale at the end of the MEASUR-A-BELT GUIDE). Then select a new PRB belt that is closest to the overall specifications of the original belt.

NOTE: The Flat Rubber Belt identification number is different from all other PRB Belts. The 3rd letter of the Flat Rubber Belt prefix indicates only that there is a difference in cross-section, wall or both.

HERE ARE SOME EXAMPLES:

- FRM10.2 = .210 c/s X .031 wall
- FRX10.2 = .157 c/s X .031 wall
- FRY10.2 = .065 c/s X .030 wall
- FRZ10.2 = .180 c/s X .031 wall

**Wheel Rebuilding:** If a worn wheel is slipping and operating inefficiently on any of your electronic equipment, send us the defective part. **WE WILL REBUILD IT!** We will rebuild most wheels, rollers, or tires 3 inches in diameter less. Cost is quoted upon request for larger wheels and rollers.

**Custom Cutting:** For most belts\* or tires we are not able to match, we have the capabilities to have them custom cut. This low-cost service can be your solution to a troublesome problem. Give PRB a try for those odd sized belts and tires! \*(Gear and fabric belts excluded.)

**Belt and Tire Matching Service:** PRB offers a belt and tire matching service that saves you both time and money when trying to locate replacement parts. If you have a belt or tire you can't find a cross for...send it to us. Our experienced belt technicians will try to find a replacement for you... It's that easy!